

MADiE User Group

March User Group

Hosted by ICF/SemanticBits

March 19, 2026



Disclaimer

This meeting is being recorded to ensure notes and action items are captured accurately.

Attendees who have objections to the meeting being recorded are asked to let the facilitator know at this time.

Agenda and Objectives

Agenda

1. MADiE Updates
2. User Experience/Design Discussions
3. Community Questions & Discussions
4. Review of Resources

Objectives

- Inform MADiE users of current and planned activities
- Create a forum to gather community feedback on future enhancements
- Foster collaboration through open community discussion

60 Day Account Deactivation

Keeping your MADiE Account Active:

- In accordance with CMS and HHS security requirements, MADiE has implemented an account deactivation policy for all users who have not logged in within the previous 60 days or more.
- Users will receive warning messages after 30 days of inactivity.
- After 60 days of inactivity, accounts will be deactivated.
- To access a deactivated MADiE account again, users will need to request the MADiE role in HARP.
 - **Do NOT** respond to the deactivation email.

*Keep your MADiE account active to continue to receive important email communications!

MADiE

MADiE 3.0.0

MADiE Current State (1 of 2)

MADiE 3.0.0 released on 03/17/2026

- **QI-Core Measures:** MADiE has been updated to allow users to create and edit QI-Core test cases through a guided interface that offers an alternative to working directly in JSON, while still allowing full access to JSON editing when needed. The Test Case UI Builder is offered as a beta release and designed to support the complete QI-Core workflow, though some uncommon scenarios may still need refinement. We welcome user feedback to help us enhance the UI Builder in future releases.
- MADiE has been updated to use HAPI FHIR version 8.8.0. More information can be found [here](#).

MADiE Current State (2 of 2)

MADiE 3.0.0 released on 03/17/2026

- **QI-Core Measures:** MADiE has been updated to use CQL-ELM Translator 4.2.0. More information can be found [here](#).
- Resolved Known Issues
 - MADiE was displaying inconsistent spacing in the Human Readable for rich text–enabled metadata fields. ([MADIE-2344](#))

CMS Web Application Firewall Errors

CMS Web Application Firewall (WAF) Issues

- CMS WAF errors are received when an attempted action (i.e., saving or exporting) is rejected by the CMS security policy, blocking further action by the user
- This can happen when working in a measure or test case that previously did not receive a CMS WAF error, or when making a change to the measure or test case

When an action is blocked, please include the following information in your ONC JIRA ticket.

- Measure Name/ID
- Test case Name (if applicable)
- Action that resulted in unexpected error messages or an inability to save changes (include specific verbiage/CQL/JSON that was unable to save)
- Providing the error message assists the team in confirming the cause of the issue
- When error messages include a 'Support ID' include that ID number in your ticket so that can be provided to CMS to unblock the attempted action

Examples of CMS WAF error messages:

- MADiE was unable to process the request. Please try again. If the problem persists, please contact the Help Desk.
- System error. Unable to process information
- 403 Forbidden The requested URL was rejected by CMS security policy. If you believe this is in error, please contact the HIDS Security Operations Center QNET_soc@cms.hhs.gov and reference your Support ID: 2586968644408754759

Help Desk Ticket Submission Process (1 of 3)

The **MADiE Ticket Submission Guidance** document on the [Training & Resources](#) tab on the public website provides guidance to measure developers needing assistance with measures or test cases.

This document should be reviewed prior to creating a ticket to verify if the ticket should be submitted to the MADiEIT or to the CQLIT.

This document includes the following:

- Steps to take prior to submitting a Help Desk ticket
- When to submit a ticket to MADiE Issue Tracker (MADiEIT) and when to submit a ticket to CQL Issue Tracker (CQLIT)
- A list of artifacts to include if a ticket is being created with either CQLIT or MADiEIT for assistance with measure CQL or test case JSON

Reference the [MADiE Help Desk Process Diagram](#)

Help Desk Ticket Submission Process (2 of 3)

Steps to take prior to submitting a ticket:

1. **Search for an Issue**: Have a question or experiencing an issue? Search by keyword or project, see if others have submitted the same question or reported the same issue, and review the responses.
2. **If a ticket needs to be submitted, identify the appropriate Issue Tracker – CQLIT or MADIEIT**
 - Submitting tickets to the incorrect IT will increase the response time as two teams will need to review the ticket. This will delay possible resolution for the submitter.
3. **Identify the Ticket Type to be used**
 - Choices are – Bug/Issue, Delete Library, Enhancement Request, MADiE Access Question, Question, User Group Question/Topic, or User Research Feedback
 - The responses that are auto-generated when a ticket is created is determined by the ticket type and include additional information that may be needed for the ticket to be processed.
 - For example, the auto-response, required information, and format for that information for an Enhancement Request ticket is driven by the “Are you part of a CMS Contract” field. CMS Contractors must attach a completed Enhancement Request Form while other submitters are directed to answer several questions in the description or as a comment.

Help Desk Ticket Submission Process (3 of 3)

Steps to take prior to submitting a ticket (continued):

4. Include all required information based on the type of ticket you are creating

- Populate all applicable available fields when creating the ticket. These fields can be updated after the ticket is created by selecting “Edit” if additional information needs to be added.
- The required fields are specific to the Issue Tracker the ticket is submitted to. For example, the measure name and URL is required for the MADiEIT but is not available for the CQLIT. When tickets are moved only the data in fields available by the IT the ticket is moved to will be retained, and different data may be needed that wasn't originally entered.

5. Attach required artifacts and supporting documentation

- Tickets created with required information and supporting documentation missing will be sent back to the submitter with a comment listing the missing information and supporting documentation. Populating all applicable fields while creating the ticket will assist the MADiE team when processing this ticket.
- **IMPORTANT NOTE:** Until all required information and supporting documentation are included, the ticket cannot be processed. Including this information at the time of ticket creation will expedite the time from ticket creation to when the team may begin processing the ticket. **Specifically: Attach the measure package and test case export, include measure, library and/or test case URLs, and include the Enhancement Request Form when applicable for the ticket you are submitting.**

Tickets to be Submitted to the CQLIT

Tickets submitted to the CQL Issue Tracker will be evaluated and the standards team may identify the ticket needs to be moved on to the MADiE Issue Tracker to evaluate MADiE functionality.

The following types of tickets should be submitted to the [CQL Issue Tracker](#):

- User is experiencing a CQL error in the MADiE CQL Editor that is not resolved after reviewing resources (see list in the Ticket Submission Guidance document) and consulting with SMEs
- User is unable to resolve JSON test case error message(s) after reviewing resources (see list in the Ticket Submission Guidance document) and consulting with SMEs
- MADiE test case results are not as expected, and the following has been confirmed:
 - JSON does not contain validation errors
 - Valid CQL
 - Appropriate utilization of QI-Core Profiles:
 - hl7.org/fhir/us/qicore/STU4.1.1/profiles.html
 - hl7.org/fhir/us/qicore/STU6/profiles.html

Tickets to be Submitted to the MADiEIT

The following types of tickets should be submitted to the [MADiE Issue Tracker](#):

- Enhancement requests
- Issues accessing the applications after verifying network or internet connection
- Tool performance issues in which do not subside after verifying network or internet connection
- Error message received which instructs the user to contact the Help Desk
- Clarification needed for functionality after review of resources
- MADiE CQL error that was not resolved after review of available resources, consulting with SMEs and/or [CQL Issue Tracker](#)
- MADiE test case error that was not resolved after review of available resources, consulting with SMEs and/or [CQL Issue Tracker](#)
- MADiE measure export inquiries
- Issues with the measure HTML file (referred to as the 'Human Readable'), in the measure package export
- MADiE test case export (QRDA or Excel) inquiries
- Library deletion requests

Help Desk Requests Including HARP IDs

- The following requests must be submitted via email at MADiE@cms.hhs.gov as they contain HARP IDs
 - Measure or library ownership transfer requests
 - CMS ID deletion requests
 - Revert measure version requests
 - or other inquiries with a HARP ID
- Do not submit these requests until you have confirmed that all users involved in the request have active MADiE accounts
- MADiE allows users two options for adding or removing share access for libraries and measures
 - **Preferred Method:** Users can share or unshare one or more libraries or measures via the MADiE UI
 - If users require assistance, users can submit a request to share or unshare one or more libraries or measures via email MADiE@cms.hhs.gov

UXR Update

We are reviewing our script to conduct interview of Measure Reviewers for MADiE.

- We are looking to discover the user workflows of Reviewers.
 - What data is needed?
 - What are the timelines involved?
 - What defines the conclusion of a review?
- What tools do they use to accomplish those workflows?
 - What times in the process are they used?
 - What are the expected outcomes when used?
 - How many tools are used to accomplish their needs.
 - Can the tools be adapted to be provided by MADiE internally?



We are looking to recruit about 5 – 8 participants. **If you know anyone who conducts Reviews of measures for MADiE, please let us know so we can approach them and see if they can volunteer.** Thank you.

Composite Measure Discussion

- Composite Measure Creation Workflow:
 - Create New Measure -> Select "Enable Composite measure"
 - No CQL Tab
 - Navigate to Population Criteria page
 - Select Composite Measure Scoring
 - Select Component Measures
 - Versioned measures Only
 - Same QI-Core Type set on component
 - Measure groups that match the FHIR specification for composite measures

Composite Scoring Method	Scoring Method	Component Measure Scoring
Opportunity	Composite	Proportion/Ratio
All-or-nothing	Composite	Proportion/Ratio
Subject-level Linear	Composite	Proportion/Ratio/Continuous Variable
Component-level	Composite	Proportion/Ratio/Continuous Variable

Measures

Welcome, Nicole

+ New Measure

Owned Measures (4) Shared Measures (0) All Measures (1574)

Filter By

Filter By ▼

Search



<input type="checkbox"/>	Measure	Version	Status	Model	Shared	CMS ID	Updated	Action
<input type="checkbox"/>	Intro To MADiE - QDM	1.0.000	Draft	QDM v5.6		1338	2/10/2026	Edit >
<input type="checkbox"/>	Validation Demo Measure	1.3.000	Draft	QI-Core v6.0.0	✓		2/10/2026	Edit >
<input type="checkbox"/>	Intro to QI-Core 4.1.1	0.0.000	Draft	QI-Core v4.1.1			1/22/2026	Edit
<input type="checkbox"/>	Intro To MADiE - QI-Core	0.0.000	Draft	QI-Core v6.0.0			1/22/2026	Edit

Items per page 10 1 - 4 of 4

1

Composite Measure Group Information

- MADiE will display the Measure Groups for the Component Measures you select. What specific information about those Measure Groups would be most useful to see?

Population Criteria
Population Criteria 1 *Indicates required field

Criteria 1

[+ Add Population Criteria](#)

Supplemental Data

***Population Criteria 1 Description**

Patients determined as having prostate cancer who are currently starting or undergoing androgen deprivation therapy (ADT), for an anticipated period of 12 months or greater and who receive an initial bone density evaluation. The bone density evaluation must be prior to the start of ADT or within 3 months of the start of ADT.

***Measure Type**

Outcome

***Population Basis**

Boolean

***Scoring**

Composite

Scoring Unit

UCUM Code or Name

Scoring Precision

Components | Stratifications | Reporting

***Composite Scoring**

Opportunity [Add Components](#)

Selected Composite Measure Components (3)

Measure	Version	CMS ID	Updated	
Skilled Nursing Facility 30-Day All-Cause Readmission Measures (SNFRM)	2.0.017	-	12/28/2024	v x
<p>Population Criteria</p> <p>Criteria 1</p> <hr/> <p>Criteria 2</p> <hr/> <p>Criteria 3</p>				
Documentation of Clinical Response to Allergen Immunotherapy within One Year	1.5.001	2134FHIR	12/20/2024	> x
ColorectalCancerMeasureFHIR4	0.0.001	8765FHIR	09/09/2024	x

[Delete](#)
[Discard Changes](#)
[Save](#)

UI Design for QI-Core Composite Test Case

After Discussions with Community we needed a design that does the following:

- Design for combining one test case from each component.
- Ability to select which test case to include from each component.
- The selection process may need to go down to the individual profile level.
- Once the selections are made, MADiE will automatically combine the chosen test cases.

The screenshot displays the MADiE (Measure Authoring Development Integrated Environment) interface. The main header shows the MADiE logo and navigation options like 'Measures', 'Libraries', and 'Help'. The current measure is 'Risk-Standardized Acute Admission Rates for Patients With Multiple Chronic Conditions', with version 1.1.010 and model QDM v5.6. The interface is divided into several sections:

- Navigation:** 'Home > Measure', 'Details', 'CQL Editor', 'Population Criteria', and 'Test Cases (5)'. A 'Display Alerts (3)' button is also present.
- Test Cases Section:** Shows 'Case #1: DENOMPASS - ICUEndOnEncEnd'. It lists three components with their respective measure names, versions, CMS IDs, and update dates. Each component has a 'Select Test Case' button.
- Actual Section:** Displays the 'Composite Score: 67%'. It breaks down the score into three categories: 'Breast Cancer Screening (BCS)', 'High Blood Pressure Screening', and 'Colorectal Cancer Screening'. Each category has a table showing the number of components and measure groups.
- Footer:** Includes an 'Import' button and 'Discard Changes', 'Run Test Case', and 'Save' buttons.


Measure Name	Version	CMS ID	Updated	Status
Skilled Nursing Facility 30-Day All-Cause Readmiss...	2.0.017	5678FHIR	12/28/2024	Done
Documentation of Clinical Response to Allergen...	1.5.001	2134FHIR	12/20/2024	Select Test Case >
ColorectalCancerMeasureFHIR4	0.0.001	8765FHIR	09/09/2024	Select Test Case >

Component #	Measure Group #
1	3
2	2
3	1

Component #	Measure Group #
4	3

Component #	Measure Group #
5	3

User Group Discussion



- Topic suggestions and questions for the User Group can also be submitted through the MADiE Issue Tracker located here:
<https://oncprojecttracking.healthit.gov/support/projects/MADiE/summary>
- Additional questions or comments can be submitted by using the chat feature or unmuting your own line.
- Our next User Group will be held April 16 at 2 pm ET.

PII / PHI

- PHI and PII are prohibited in MADiE.
- Measure testing should only represent synthetic patient test data.
- Report any questions or concerns to the Help Desk.



Resources

MADiE Resources (1 of 4)

The [MADiE public website](#) provides a Login button to access MADiE.

The [Training & Resources](#) tab on the public website provides:

- **MADiE Access Guide** – how to get your MADiE account
- **MADiE User Guide** – provides details regarding tool functionality
- **MADiE QI-Core Test Case User Guide** – provides details on creating, maintaining, and validating QI-Core test cases
- **JSON Test Case Guide** – steps for using the JSON test case editor. This document has been updated to include QI-Core v6.0.0 information.
- **Known Issues** – updated regularly
- **MADiE Version Information** – provides information about third party tools used by MADiE and the global shared libraries
- **MADiE Enhancement Request Form for CMS Contractors** – additional details required when submitting an enhancement request
- **MADiE CMS ID Deletion Request Form** – to request the CMS ID associated with a draft measure with no prior versions be deleted
- **MADiE Revert Measure Version Request Form** – to request a measure version number be reverted to a previous version number if the measure was versioned in error
- **MADiE Independent Testing Supplemental Guide** – provides information about testing a measure in MADiE by someone other than the measure developer of the measure
- **Release Notes** – posted with each MADiE release

MADiE Resources (2 of 4)

MADiE QI-Core Profile Examples – Updated to Include QI-Core v6.0.0

- The MADiE Test Case JSON Guide v2.1, available on the [Training & Resources](#) tab on the public website, has been updated to also provide guidance to aid MADiE users in updating or creating QI-Core v6.0.0 test cases in MADiE.
- The MADiE team has created a measure in MADiE (**QI-Corev6.0.0 Test Case Template**) with an included test case JSON bundle (**QI-Corev6Example Bundle**) which contains entries for many QI-Core v6.0.0 profiles.
- To continue to support QI-Core v4.1.1 test case creation, the measure (**QI-Corev4.1.1 Test Case Template**) with one test case (**QI-Corev4.1.1 Example Bundle version 2**) is available in MADiE.
- The purpose of these test case JSON bundles is to provide users the framework for commonly used QI-Core v4.1.1 and v6.0.0 profiles that can be leveraged with their own test case development.
- The QI-Core profiles examples in the v4.1.1 and the v6.0.0 JSON bundles are for guidance and are not intended to fulfill any measure or testing requirement. Updates to reflect the specific details of your test case will be necessary.
- Measure developers may copy any of the profiles from either of the test cases to your test case(s) (of the same QI-Core version) or use a source code editor (e.g., Notepad++ and Visual Studio Code) and make any updates needed to meet your testing needs. The test cases may also be exported.

MADiE Resources (3 of 4)

MADiE In Depth Training Videos

- Located on the public website [Training & Resources](#) tab
 - [Log In and Measures](#)
 - [QI-Core Test Cases](#)

MADiE Process Workflows

- [MADiE Help Desk Process](#)
- [MADiE Enhancement Request Process](#)

JIRA Status and Resolution Use Cases

- Located on the [MADiE Issue Tracker](#) Summary page

MADiE Resources (4 of 4)

MADiE

- <https://madie.cms.gov>

MADiE Release Schedule

- Located on the public website [Training & Resources](#) tab

MADiE Issue Tracker

- <https://oncprojecttracking.healthit.gov/support/projects/MADIE/summary>

eCQI Resource Center

- <https://ecqi.healthit.gov/>